

A

## INDEX MAPS.

**T.2N R.5W 2<sup>nd</sup> Mer.**

	342	342	342	342	341	341						
345	6	363	5	359	4	356	3	352	2	348	1	341
	364	362	359	355	351	348						
344	7	362	8	358	9	355	10	351	11	348	12	340
	364	362	358	355	351	347						
344	18	361	17	358	16	354	15	350	14	347	13	340
	363	361	357	354	350	347						
344	19	361	20	357	21	353	22	350	23	346	24	340
	363	361	357	353	350	346						
343	30	360	29	356	28	353	27	349	26	346	25	339
	363	360	356	352	349	346						
343	31	359	32	356	33	352	34	349	35	345	36	339
	338	338	338	337	337	337						

**T.3N R.5W 2<sup>nd</sup> Mer.**

	370		370		370		369		369		369	
372	6	390	5	386	4	383	3	379	2	376	1	368
	391		390		386		383		379		376	
372	7	389	8	386	9	382	10	379	11	375	12	368
	391		389		386		382		379		375	
372	18	388	17	385	16	382	15	378	14	375	13	367
	391		388		385		381		378		375	
371	19	388	20	385	21	381	22	378	23	374	24	367
	390		388		384		381		378		374	
371	30	387	29	384	28	380	27	377	26	374	25	367
	390		387		384		380		377		373	
371	31	387	32	383	33	380	34	377	35	373	36	366
	366		366		365		365		365		365	

(P) The figures on the lines refer to the page.

Township No. 3. North of Range No. 5 West 2<sup>nd</sup> Mer. Indiana  
Ch. 11.

### South Boundary

West 15. On the Boundary of Sec. 36. T. 11. 3. N. R. 5 W.

12.50 To a Run 15 links wide, Corner S.W.

40.00 Set a 7/4 sec post from which a

W. Oak. 12 in. dia. trans. S 10 E. 60 links due; & a

Co. 18 " " " N 59 W. 31 " "

80.00 Set a post for the cor. of sec. 35 & 36 from which a

Sugar. 6 in. dia. trans. S 29 E. 10 links due; & a

W. Oak. 15 " " " N 9 W. 25 " "

Sand broken; Tintw Oak, Walnut, Sugar,  
Buck, Ash, Dogwood, Poplar, Hick, Elm, Gum,

W. 15 On the South Boundary of sec. 35. T. 3. N. R. 5 W.

22.00 To a Run. 10 links wide, Corner S.W. & N.W.

40.00 Set a 7/4 sec post from which a

Elm 9 in. dia. trans. S 4 E. 10 links due; & a

W. Oak. 18 " " " N 26 W. 30 " "

80.00 Set a post for the cor. of sec. 34 & 35. from which a

W Oak. 20 in. dia. trans. N 30 E. 135 links due; & a

Co. 3 " " " N 23 W. 40 " "

Sand bent; Tintw Oak, Hick & S.

West 15. On the South Boundary of sec. 34. T. 3. N. R. 5 W.

40.00 Set a 7/4 sec post in a prairie or barrens.

80.00 Set a post for the cor. of sec. 33 & 34 from which a

W Oak. 20 in. dia. trans. S 17 E. 17 links due; & a

Co. 8 " " " N 81 W. 41 " "

Sand bent barrens and prairie; Black Jack,

W 15 On the South Boundary of sec. 33. T. 3. N. R. 5 W.

40.00 Set the 7/4 sec. post in open barrens

80.00 Set a post for the cor. of sec. 33 & 34 from which a

W Oak. 5 in. dia. trans. N 73 W. 150 links due; & a

## T. N. 3. N. R. N. 57. 2nd Mer. Ind.

W. Oak. 12 in. diam. trans. N 71 E. 382 links with  
Sands hole barrens, open & grassy; Timber Oak & Elm

N. 1<sup>st</sup> S On the South Boundary of Sec. 32 T. 3. N. R. 57.  
40.00 Set a 7<sup>th</sup> re-post from which

W. Oak. 8 in. diam. trans. S 60 W. 6 links with; &

W. Oak 8 " " " N 41 E. 15 " "

80.00 Set a post for the cor off Sec. 32 & 33 from which

W. Oak. 12 in. diam. trans N 12 E. 11 links with; &

W. Oak. 30 " " " S 4 E. 63 " "

Sands barrens; Timber W. Oak. Oak & Elm

N. 1<sup>st</sup> S West On the South Boundary of Sec. 31. T. 3. N. R. 57.

40.00 Set a 7<sup>th</sup> re-post in Open barrens.

81.40 Set out the Meridian on Range line 52 links North  
of the post cor off T. 2 & 3. N. R. 57 & 6 W.

Corrected the Meridian line back & established the  
posts with true line as before described; Timber Oak,  
Hickory & Elm. Friday March 15.

## East Boundary

North On the East Boundary of Sec. 36. T. 3. N. R. 57.

10.20 ——— 12 in diam. in the line

15.30 To the Run of spring 4 links N. W. corner W.

22.50 " a Run 4 links N. W. corner W.

27.50 " the Bed of a Run 2 links N. W. corner W.

40.00 Set a 7<sup>th</sup> re-post from which

Beck. 28 in diam. trans. S 54 W. 4 links with; &

Do. 18 " " " N 19 E. 29 " "

42.00 To a Run 4 links N. W. corner W.

46.78 To an Oak 24 in. diam. stand in the line.

61.25 To an. Oak. 4 in diam. stands in the line.

80.00 Set a post for the cor off Sec 36 & 25 from which

367

T. No 3. N.R. No 57. 2nd Mer. Sur.

Heik 12 in. dia. bund. N 23 E. 9 links out; & a  
 W. Oak. 18 " " " S 48 W. 90 " "  
 This mile is broken, Oak, Buck, Heik &.

North On the East Boundary of Sec. 25 T. 3. N. R. 5 W.

6.70 To a W. Oak 30 in. dia. in the line.

21.50 To a Run 2 links wide, Corner W.

26.40 " " Buck 15 in. dia. stands in the line.

40.00 Set a 74 support from which =

W. Oak 20 in. dia. bund. N 74 E. 56 links out; & a

W. Oak 8 " " " S 67 W. 11 " "

80.00 Set a post for the cor of Sec. 24 & 25 from which =

W. Oak 18 in. dia. bund. N 75 E. 36 links out; & a

W. Oak 15 " " " N 88 W. 63 " "

80.00 This mile is Broken; Corner Oak, Oak, Heik &.

North On the East Boundary of Sec. 24. T. 3. N. R. 5 W.

22.76 To a W. Oak 30 in. dia. in the line.

40.00 Set a 74 support from which =

W. Oak 15 in. dia. bund. N 63 W. 30 links out; & a

Heik 5 " " " S 84 E. 52 " "

Bushy barrens

44.90 To a Run 3 links wide, Corner W.

48.68 " " Heik 5 in. dia. stands in the line.

80.00 Set a post for the cor of Sec. 23 & 24 from which =

W. Oak 18 in. dia. bund. S 89 E. 25 links out; & a

Do. 18 " " " S 10 E 47 " "

Sand barrens very bushy

North On the East Boundary of Sec. 13. T. 3. N. R. 5 W.

0.10 To a Run 4 links wide, Corner W.

37.30 " " " 4 " " " E.

40.00 Set a 74 support from which =



T. N<sup>o</sup> 3. N.R. N<sup>o</sup> 577. 2<sup>nd</sup> Mer. Ind:

	W. Oak. 18 in. dia. bend. N78 E. 13 links curb; & a
	Ho. 20 " " " N57 W. 49 " "
	Land brushy barrens.
80.00	Set a post for the cor. of sec. 12 & 13 from which a
	W. Oak. 42 in. dia. bend. N42 W. 40 links curb; & a
	Ho. 20 " " " S. 66 E. 1.30 " "
	Land broken; Timber Oak, Hickory &c.
North	On the East Boundary of sec. 19. T. 3. N.R. 577.
10.10	To a Run 4 links wide, Corner W.
40.00	Set a 74 sw. post from which a
	W. Oak. 18 in. dia. bend. S22 E. 35 links curb; & a
	Ho. 15 " " " N22 W. 45 " "
57.50	To a Run. 8 links wide, Corner N.E.
60.10	" the bed of a Run. 4 links wide. Corner N.E.
72.50	" a Run. 8 links wide, Corner S.E.
(80.00?)	Set a post for the cor. of sec. 1 & 2 from which a
	Sugar. 10 in. dia. bend. N85 W. 11 links curb; & a
	Ho. 10 " " " N71 E. 30 " "
	Land on this side is broken; Timber Oak, Hickory, &c. Some bottom on the creek; Timber Sugar, Maple & Oak.
North	On the East Boundary of sec. 1. T. 3. N.R. 577.
36.97	To a W. Oak 24 in. dia. stands in the line.
40.00	Set a 74 sw. post from which a
	W. Oak. 15 in. dia. bend. N61 E. 31 links curb; & a
	Ho. 18 " " " S56 W. 56 " "
	Land broken; Timber Oak, Hickory &c.
69.87	To a W. Oak 24 in. dia. stands in the line.
77.90	" " Trace 2 links wide, Corner N.E. & S.W.
80.00	Set a post for the cor. of T. 3 & 4. N.R. 54 & 577
	from which a W. Oak 8 in. dia. bend. N4 E. 87 links curb;

W. Oak 9 in. dia. beam. S 19 E. 43 links curb;  
Sande Oak Ridge

North Boundary

W. D. S. On the South Boundary of sec. 36. T. 4. N. R. 5 W.  
30.00 To a Run. 10 links side, corner S.  
31.00 " " Slick; Lies South of the line  
40.00 Set a 1/4 sec. post from which a  
W. Oak. 15 in. dia. beam. N 65 W. 16 links curb; & a  
Do. 18 " " " N 32 E. 22 " "  
Sande broken; Timber Oak  
79.00 To a Run 3 links side, corner S.  
80.00 Set a post for the cor of sec. 35 & 36 from which a  
W. Oak. 24 in. dia. beam. S 70 W. 25 links curb; & a  
W. Oak. 20 " " " S 27 E. 44 " "  
Sande broken; Timber Oak & Hick J. S.

W. D. S. On the South Boundary of sec. 35 T. 4. N. R. 5 W.  
19.00 To a Run. 10 links side, corner S.  
40.00 Set a 1/4 sec. post from which a  
W. Oak. 24 in. dia. beam. S 22 W. 8 links curb; & a  
Cramp Oak 18 " " " N 22 E. 82 " "  
Sande broken; Timber Oak, Hick J. S.  
80.00 Set a post for the cor of sec. 34 & 35 from which a  
Hick J. 12 in. dia. beam. S 76 W. 24 links curb; & a  
W. Oak. 24 " " " S 69 E. 85 " "  
Sande broken; Timber Oak,

W. D. S. On the South Boundary of sec. 34. T. 4. N. R. 5 W.  
40.00 Set a 1/4 sec. post from which a  
W. Oak. 18 in. dia. beam. S 76 E. 54 links curb; & a  
W. Oak 5 " " " West 25 " "  
Sande broken; Timber Oak, Hick J. S.

## T. No. 3. N.R. No. 571. 2nd Mer. Ind.

80.00	Set a post for the cor. of Sec. 33 & 34 from which a Heik 12 in. dia: beam. N 66 E. 10 links dia; & a W Oak. 18 " " " S 27 N. 60 " " Sand bent; Timber Oak, Heik 1/2.
W. 2 <sup>nd</sup> S. 40.00	On the South Boundary of Sec. 33. T. 4. N. R. 571. Set a 7/8 in. post from which a W Oak. 10 in. dia: beam. N 74 N. 30 links dia; & a Co. 18 " " " S 80 E. 20 " "
80.00	Set a post for the cor. of Sec. 32 & 33. from which a W Oak. 24 in. dia: beam. N 10 N. 60 links dia; & a Heik 12 " " " S 25 E. 60 " " Sand bent and set; Timber Oak, Heik 1/2.
W. 2 <sup>nd</sup> S. 40.00	On the South Boundary of Sec. 32. T. 4. N. R. 571. Set a 7/8 in. post from which a W Oak. 18 in. dia: beam. S 45 E. 43 links dia; & a Co. 24 " " " N 24 N. 53 " " Oak 1/2
80.00	Set a post for the cor. of Sec. 31 & 32 from which a Heik 12 in. dia: beam. S 11 N. 13 links dia; & a Co. 18 " " " N 31 E. 23 " " Sand broken & brushy; Timber Oak, & Heik 1/2.
W. 2 <sup>nd</sup> S. 40.00	On the South Boundary of Sec. 31. T. 4. N. R. 571. Set a 7/8 in. post from which a W Oak. 24 in. dia: beam. S 89 N. 38 links dia; & a Co. 24 " " " N 88 E. 94 " "
85.50	Introduced the N & S Range line. 2 ch. North of the post cor. of T. 3 & 4 N. R. 576 N. Corrected the Range line back and established the posts as above described on the true line. Sand bent & set; Timber Oak, & Heik 1/2.

Monday March, 25. 1805

Note In running the Random lines Hanks now left for posts which were filled up when correcting back the Random lines.

Surveyed by:  
David Sanford, L.S.

West Boundary

North On the East Boundary of Sec. 36. T. 3. N.R. 6 W.  
16.50 To a Red Oak. 30 in. diam. in the line.  
31.39 To a Brook 8 links wide, Corner N. 30 W.  
40.00 Set a 74 sq post from which a  
W. Oak. 12 in. diam. bears N 71 W. 26 links arch; & a  
Elm. 12 " " " S 55 E. 46 " "  
80.00 Set a post for the cor. of Sec. 25 & 36 from which a (in barrens)  
W Oak. 12 in. diam. bears S 87 E. 2 25 links arch; & a  
Elm. 20 " " " N 43 W. 263 " "  
Sand bar & post barrens; Timber Oak & Hickory

North On the East Boundary of Sec. 25 T. 3. N.R. 6 W.  
8.00 To a Brook 8 links wide, Corner W.  
40.00 Set a 74 sq post in a prairie  
72.42 To a W. Oak. 20 in. diam. in the line.  
79.50 To a Branch 10 links wide, Corner W.  
80.00 Set a post for the cor. of Sec. 24 & 25 from which a  
Maple 20 in. diam. bears N 86 E. 45 links arch; & a  
Elm. 7 " " " N 53 W. 10 " "  
Sand bar & post barrens. Timber Oak & Elm

North On the East Boundary of Sec. 24 T. 3. N.R. 6 W.  
15.40 To a W. Oak. 20 in. diam. in the line  
40.00 Set a 74 sq post from which a  
W Oak. 12 in. diam. bears N 65 E. 114 links arch; & a





## T. N. 3 N.R. N. 5 W. 2nd Mer. Ind.

- 51.00 To a Red Oak. 22 in. diam. in the line.  
 80.00 Set a post for the cor. of Towns. N. 3 & 4. N.R. 57 & 58  
 from which an Elm. 20 in. diam. bears N 43 E. 381 lks dist  
 and a R. Oak. 12 " " " S 81 W 420 " "  
 Land level and generally prairie.  
 Tuesday, February 13, 1805.

Surveyed by  
 Robert Stubbs & Jacob Smith, L.S.

## Subdivisions

- North Return Sec. 35 & 36 T. 3 N.R. 5 W.  
 11.10 To a Hickory 15 in. diam. in the line  
 20.00 " " " 15 " " " "  
 40.00 Set a 74 cu. post from which a  
 Hickory 15 in. diam. bears North 4 links dist; & a  
 Ho. 10 " " " S 4 W. 45 " "  
 Land broken; Timber Oak, Hickory &c.  
 54.80 To an Elm. 48 in. diam. in the line.  
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which  
 Spruce 11 in. diam. bears S 19 E. 23 links dist; & a  
 R. Oak. — " " " — 25 " "  
 Land level and wet; Timber Oak, Maple, Birch,  
 Elm & Spruce wood; Blackberry vines &c.  
 East Return Sec. 25 & 36 T. 3 N.R. 5 W.  
 40.00 Set a 74 cu. post from which a  
 W. Oak. 18 in. diam. bears S 19 W. 17 links dist; & a  
 Ho. 20 " " " N 66 E. 14 " "  
 Land level; Timber Oak &c.  
 55.50 To a Run. 6 links wide, corner T.W.  
 80.00 Into which the East Boundary at the post cor. of sec.  
 25 & 36.

D. N. 3. N.R. N. 57. 2<sup>nd</sup> Mm. Ind.

North Return Sat. 25 & 26 J. 3. N.R. 57.  
 30.00 To a B. Oak 18 in. dia. in the line.  
 40.00 Set a post from which a  
 B. Oak 30 in. dia. bears. S 65 W. 31 links dist; & a  
 W. Oak. 18 " " East 56 " "  
 Sand broken; Tumble Oak, Hick, Maple, Elm,  
 & berry trees Grapes; &c.  
 47.00 To a B. Oak. 18 in. dia. in the line.  
 79.50 To a Run. 8 links wide, Course S.E.  
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which  
 Hick 10 in. dia. bears. N 46 E. 11 links dist, & a  
 Gum. 9 " " S 10 E. 6 " "  
 Sand broken; Tumble Oak, Hick & c. brushy Grapes  
 vines &c.

West Return Sat. 24 & 25. J. 3. N.R. 57.  
 40.00 Set a post from which a  
 Hick 11 in. dia. bears. N 42 E. 4 links dist, & a  
 Gum. 12 " " S 63 W. 46 " "  
 Sand broken; Tumble Oak, Hick, &c.  
 45.50 To a Run. 4 links wide, Course S.E.  
 50.50 " " " 2 " " " S.E.  
 80.00 Enter out the N & S line. at the post cor. of sec. 23, 24, 25  
 & 26. Sand level and wet.

North Return Sat. 23 & 24. J. 3. N.R. 57.  
 40.00 Set a post from which a  
 B. Oak. 24 in. dia. bears. N 46 E. 42 links dist; & a  
 Maple. 20 " " S 54 W. 25 " "  
 Sand very brushy  
 65.00 To a B. Oak. 10 in. dia. in the line.  
 80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which  
 Hick 10 in. dia. bears. S 19 E. 17 links dist, & a

375

J. N. 3. N.R. N. 5 W. 2<sup>nd</sup> Mer. Sud.

W. Oak 18 in diam. trans. S 73 W. 46 links dist; &  
 Lande broken; Timber Oak, Hickory  $\frac{1}{2}$ .

East Return Sud. 13 & 24. J. 3. N.R. 5 W.  
 40.00 Set a 74 run post from which  
 Hickory 12 in. diam. trans. N 82 W. 27 links dist; &  
 Do. 12 " " S 82 E. 8 " "  
 Lande broken; Timber Oak, Hickory  $\frac{1}{2}$ .  
 80.00 Intersect the N & S line. cor. of sud.  
 13 & 24. Lande broken; Timber Oak, Hickory  $\frac{1}{2}$

North Return Sud. 13 & 14. J. 3. N.R. 5 W.  
 40.00 Set a 74 run post from which  
 W. Oak 30 in diam. trans. S 23 W. 27 links dist; &  
 Do. 36 " " N 25 W. 56 " "  
 Lande broken; Timber W. Oak  
 80.00 Set a post for the cor. of sud. 13, 14, 11 & 12 from which  
 Gum. 14 in diam. trans. N 85 W. 18 links dist; &  
 W. Oak 10 " " S 78 E. 38 " "  
 Lande broken; Timber Oak, Hickory, Gum.  $\frac{1}{5}$ .

West Return Sud. 12 & 13. J. 3. N.R. 5 W.  
 40.00 Set a 74 run post from which  
 Hickory 5 in. diam. trans. S 68 E. 8 links dist; &  
 W. Oak 24 " " S 49 W. 65 " "  
 Lande very bushy  
 80.00 Intersect the Meridian or N & S line.  
 cor. of sud. 11, 12, 13 & 14  
 Lande broken; Timber Oak, Hickory  $\frac{1}{2}$

North Return Sud. 11 & 12. J. 3. N.R. 5 W.  
 7.75 To N.B. Oak 18 in diam. in the line.  
 19.00 " " Run 10 links wide, Corner S.E.



T. N. 3. N.R. N. 5 W. 2<sup>nd</sup> Mer. Ind.

- 40.00 Set a 7/4 sec. post from which  
 W Oak. 24 in. diam. trees B 57 N. 15 links each; & a  
 B Oak. 18 " " " N 78 W. 46 " "  
 Sand broken; Tamar Oak, Hickory & S  
 80.00 Set a post for the cor of sec. 1, 2, 11 & 12 from which  
 W Oak 24 in. diam. trees B 49 E. 49 links each; & a  
 L. 24 " " " N 40 " "  
 Sand broken; Tamar Oak, Hickory, Bassap & S

- W. 4 P. S. Return Sec. 1 & 12 T. 3. N.R. 5 W.  
 0.85 To a Run. 6 links wide, winding on the line 5 ch. last  
 corner South  
 18.00 To a Run. 20 links wide, Corner S. E.  
 27.50 " " Same " " " N. E.  
 34.50 " " " Same " " " crossed its twin last corner N. E.  
 40.00 Set a 7/4 sec. post from which  
 W Oak. 24 in. diam. trees B 68 E. 16 links each; & a  
 Sugar. 18 " " " N 35 W. 21 " "  
 Sand broken; Sugar, Maple, Locust, Oak,  
 Elm, Buck & S.  
 80.00 Enter out the N. 5 S. line ——— cor of sec. 1, 2,  
 11 & 12 Sand broken; Tamar Oak, Hickory, Sugar, & S

- North Return Sec. 1 & 2 T. 3. N.R. 5 W.  
 2.50 To a W. Oak. 24 in. diam. in the line.  
 32.50 To a Run. 20 links wide, Corner E. large bottom.  
 40.00 Set a 7/4 sec. post from which  
 Cypress 15 in. diam. trees N 13 W. 15 links each; & a  
 W. Oak 18 " " " B 5 W. 42 " "  
 75.00 To a Run. 2 links wide, Corner W.  
 82.29 Enter out the N. R. boundary 100 links West of the first cor.  
 sec. 35 T. 36 T. 4 N.R. 5 W. from which  
 B Oak. 24 in. diam. trees B 87 E. 77 links each; & a

377

D. No. 3 N.R. No. 5<sup>th</sup> 2<sup>nd</sup> Mer. Ind.

W Oak. 20 in dia: trees S 74 E. 125 links each; 1/2

North	Return Sec. 34 & 35. T. 3. N.R. 5 <sup>th</sup> .
35.50	To a B Jack 7 in. dia: in the river.
37.50	To an Elm. 20 " " " "
40.00	Set a 7/8 cu. post from which a
	B. Jack 7 in. dia: trees N 31 E. 8 links each; 1/2
	do. " " " " S 51 W. 14 " "
78.30	To an Elm. 18 in. dia: in the river. Sand bar, B. Jack
80.00	Set a post for the cor of sec. 26, 27, 34 & 35 from which an
	Elm. 7 in. dia: trees. S 83 W. 42 links each; 1/2
	B. Jack 6 " " " N 55 W. 40 " "
	Sand bar, oak; clay soil; Timber B. Jack, Elm,
	Maple, Beech, &c.
East	Return Sec. 26 & 35. T. 3. N.R. 5 <sup>th</sup> .
40.00	Set a 7/8 cu. post from which a
	Maple. 24 in. dia: trees. S 61 W. 13 links each; 1/2
	Elm. " " " " N 54 E. 40 " "
	Sand bar and prairie; Timber Oak, B. Jack,
	and Maple.
80.00	Intersect the Meridian or N 43 W. — cor.
	of sec. 25, 26, 35 & 36. Sand bar and prairie
North	Return Sec. 26 & 27. T. 3. N.R. 5 <sup>th</sup> .
38.45	To a Spruce Oak, 15 in. dia: in the river.
40.00	Set a 7/8 cu. post from which an
	Oak, 9 in. dia: trees. N 9 W. 25 links each; 1/2
	Oak. 15 " " " " S 73 E. 18 " "
60.10	To a Hick 7. 14 in. dia: stands in the
80.00	Set a post for the cor of sec. 22, 23, 26 & 27 from which a
	Elm 24 in. dia: trees. N 49 E. 37 links each; 1/2
	Elm 24 " " " " West 10 " "

T. N. 3. N. R. N. 5. 2<sup>nd</sup> Mer. Ind.

Sand herb; Timber Oak, Hick<sup>7</sup>, &c.

West Return Sat. 23. & 26 T. 3. N. R. 5. 11.

40.00 Set a 74 lat post from which

N. Jack 10 in. diam. trans. East 60 links dist; &c.

Qu. 11 " " " N 37. 94 " "

Sand herb and oak; Timber Oak, & N. Jack &c.

80.00 Enter cut the N & S line at the cor of sec. 22, 23, 26 & 27  
Sand herb and Spruce

North Return Sat. 22 & 23 T. 3. N. R. 5. 11.

19.50 To a Run 8 links wide, Corner N.

40.00 Set a 74 lat. post from which

N. Jack 8 in. diam. trans. N 75. 10 links dist; &c.

Sand herb Timber Oak &c.

42.50 To a Run 6 links wide, Corner S. W.

80.00 Set a post for the cor of sec. 14, 15, 22 & 23. from which

N. Jack 7 in. diam. trans. S 21 E. 6 links dist; &c.

Co. 6 " " " S 81. 12 " "

Set p with a prairie

East Return Sat. 14 & 23 T. 3. N. R. 5. 11.

40.00 Set a 74 lat post from which

Hick<sup>7</sup> 12 in. diam. trans. S 73. 57 links dist; &c.

Co. 12 " " " N 21 E. 58 " "

Sand herb; Timber Oak, Hick<sup>7</sup>, &c.

80.00 Enter cut the N & S line ————— cor of sec. 13, 14

23 & 24 Sand herb; Timber Oak, Hick<sup>7</sup> & hlog wood

North Return Sat. 14 & 15 T. 3. N. R. 5. 11.

40.00 Set a 74 lat post from which

N Oak. 24 in. diam. trans. N 6 E. 56 links dist; &c.

N Oak 18 " " " N 77. 64 " "

379

T. 31<sup>st</sup> 3. N.R. N. 5<sup>th</sup>. 2<sup>nd</sup> (Mm. Ind.:

Land held; Timber Oak, 13 fackts.

West Return Sub. 11+14 T. 3. N.R. 5<sup>th</sup>.  
 40.00 Set a 74 rev. post from which a  
 W. Oak. 10 in. dia. bend. N 20<sup>th</sup> W. 25 links dist, & a  
 Hickory 12<sup>th</sup> " " S 7<sup>th</sup> E. 70 " "  
 Sand broken; Timber Oak, Hickory & 1/2  
 80.00 Enter at the N & S line at the cor of Sub. 10. 11. 14 & 15.  
 Broken Oak Land.

North Return Sub. 10 & 11 T. 3. N.R. 5<sup>th</sup>.  
 35.50 To a W. Oak 15 in. dia. in the line.  
 40.00 Set a 74 rev. post from which a  
 W. Oak 24 in. dia. bend. S 7<sup>th</sup> E. 44 links dist; & a  
 B. Oak 30<sup>th</sup> " " N 36<sup>th</sup> W. 44<sup>th</sup> " "  
 73.00 To a B. Oak 16 in. dia. stands in the line.  
 80.00 Set a post for the cor of Sub. 2, 3, 10 & 11 from which a  
 W. Oak. 18 in. dia. bend. S 15<sup>th</sup> E. 45 links dist; & a  
 Hickory 30<sup>th</sup> " " N 41<sup>th</sup> W. 28<sup>th</sup> " "  
 Sand broken 2<sup>nd</sup> rate; Sandy Soil; Timber Oak,  
 & Hickory.

West Return Sub. 2 & 11. T. 3. N.R. 5<sup>th</sup>.  
 40.00 Set a 74 rev. post from which on  
 W. Oak. 6 in. dia. bend. S 59<sup>th</sup> E. 10 links dist & a  
 Do. 10<sup>th</sup> " " S 66<sup>th</sup> W. 32<sup>th</sup> " "  
 Sand broken; Timber Oak & 1/2  
 80.00 Enter at the N & S line at the cor of Sub. 2, 3, 10 & 11  
 Sand broken; Timber Oak, Hickory & 1/2.  
 Tuesday March. 19.

North Return Sub. 2 & 3 T. 3. N.R. 5<sup>th</sup>.  
 28.00 To a Run 10 links min, runs in the line; last corner N 6.



T. N. 3. N.R. N. 5 W. 2<sup>nd</sup> Mer. Sur.

40.00 Set a  $\frac{1}{4}$  sec. post from which we  
 Red Oak 6 in. diam. trees. S 86 E. 10 links north, 1<sup>st</sup> sec.  
 Elm. 24" " " N 72 W. 28" "  
 Sand broken & 2<sup>nd</sup> sec.; Timber Oak &c.

→ 82.25 Enter at the N. Boundary 106 links West of the post  
 cor of sec. 34 & 35. T. 4 N.R. 5 W. from which  
 Hick 12 in. diam. trees. East 137 links north, 1<sup>st</sup> sec.  
 W. Oak. 24" " " S 85 E. 2. 41" "

North Return Sur. 33 & 34 T. 3. N.R. 5 W.

40.00 Set a  $\frac{1}{4}$  sec. post from which we  
 R. Jack 18 in. diam. trees. North 10 links north, 1<sup>st</sup> sec.  
 B. Oak. 12" " " S 58 E. 50" "  
 Sand barrens.

51.90 To a Hick 18 in. diam. in the line.

80.00 Set a post for the cor of sec. 27, 28, 33 & 34 from which we  
 Red Oak 8 in. diam. trees. South 44 links north, 1<sup>st</sup> sec.  
 Oak. 18" " " N 29 W. 26" "  
 This mile flat wet land; Timber Oak, Hick,  
 Maple, Willow barrens Sedge grass &c.

East On a line between Sur. 27 & 34. T. 3. N.R. 5 W.

40.00 Set a  $\frac{1}{4}$  sec. post from which we  
 Elm 10 in. diam. trees. S 47 E. 20 links north, 1<sup>st</sup> sec.  
 Oak. 15" " " N 47 W. 40" "  
 Sand swampy; Timber Oak, R. Jack &c.

80.00 Enter at the N.E. line at the cor of sec. 26, 27, 34 & 35  
 Sand barrens & wet.

North Return Sur. 27 & 28. T. 3. N.R. 5 W.

38.00 To a R. Oak. 30 in. diam. stands in the line

40.00 Set a  $\frac{1}{4}$  sec. post from which we  
 Red Oak 8 in. diam. trees. S 34 E. 17 links north, 1<sup>st</sup> sec.

	<p>Red Oak 8 in diam. trunks. N 9 W. 54 links circ;                  Sand herb and mt., clay sub. &amp; barrens. Timber                  Oak, Hickory, Willow &amp; sedge grass.</p>
100.00	<p>To a Run. 2 links wide, Comes N.E.</p>
80.00	<p>Set a post for the cor of cut 21, 22, 27 &amp; 28 from which                  an Elm. 8 in diam. trunk. S 39 E. 9 links circ; &amp; a,                  Ho. 7" " " N 41 W. 25" "                  Sand herb; Timber R. Oak, Hickory &amp; s. sedge grass</p>
North	<p>Return Cut 27 &amp; 22 S. 3. N.R. 5 W.</p>
40.00	<p>Set a 7/8 post from which                  Hickory 12 in. diam. trunks. N 7 W. 11 links circ; &amp; a,                  W. Oak. 15" " " S 25 W. 12" "                  Seed upland; Timber Oak, Hickory, &amp; s.</p>
80.00	<p>Entered the N 8 line at the cor of Cut 21, 22, 27 &amp; 28.                  Sand herb and mt.</p>
North	<p>Return Cut 21 &amp; 22 S. 3. N.R. 5 W.</p>
40.00	<p>Set a 7/8 post from which                  W Oak. 18 in diam. trunk. S 8 W. 62 links circ; &amp; a,                  B. Oak. 30" " " N 77 E. 70" "                  Sand herb; Timber Oak, Hickory, &amp; s.</p>
48.50	<p>To a Run 10 the wide, Comes N.R.</p>
80.00	<p>Set a post for the cor of cut 15, 16, 21 &amp; 22 from which                  W. Oak. 24 in diam. trunk. South 48 links circ; &amp; a,                  B. Oak. 30" " " S 79 E. 21" "                  Sand herb; Timber W Oak, Hickory, &amp; s.</p>
East	<p>Quadrant between Cut 15 &amp; 22 S. 3. N.R. 5 W.</p>
40.00	<p>Set a 7/8 post from which                  B. Oak 6 in diam. trunk. S 25 E. 16 links circ; &amp; a,                  Elm. 24" " " N 11 E. 52" "                  Sand herb; Timber Oak. &amp; s.</p>

## T. N. 3. N.R. N. 5 W. Quad Mer. Sect. 6.

80.00	Entered the N.S. line at the cor. of lot 14, 15, 22 & 23. Sand barren. Limits Oak, & Maple
North	Return Lot 15 & 16 T. 3. N.R. 5 W.
25.00	To a Run 3 links wide, Course S.W.
32.60	" W. Oak. 24 in. diam. stands in the line
36.50	" " " 24 " " " " " "
40.00	Set a 7/4 post from which
	W. Oak. 24 in. diam. bears S 36 E. 50 links dist; 1 a
	" 24 " " " N 58 E. 48 " "
	Sand herb; Limits W. Oak, & Hickory
72.60	To a Hickory 15 in. diam. in the line
80.00	Set a post for the cor. of lot 9, 10 15 & 16 from which a
	W. Oak 36 in. diam. bears N 83 W. 35 links dist; 1 a
	Hickory 9 " " " S 88 E. 60 " "
	Sand herb; Limits Oak, Hickory & c. well timbered
West	Return Lot 10 & 15 T. 3. N.R. 5 W.
40.00	Set a 7/4 support from which a
	W. Oak. 18 in. diam. bears S 37 E. 15 links dist; 1 a
	W. Oak. 18 " " " N 16 W. 29 " "
80.00	Entered the N.S. line at the cor. of lot 9, 10 15 & 16 Sand broken; Limits Oak, Hickory & c.
North	Return Lot 9 & 10. T. 3. N.R. 5 W.
10-10	To a W. Oak. 10 in. diam. in the line.
40.00	Set a 7/4 support from which a
	W. Oak. 20 in. diam. bears S 16 E. 20 links dist; 1 a
	" 9 " " " N 14 W. 45 " "
	Limits W. Oak, Hickory, & c. (Open woods).
50.00	To a Run 10 links wide Course N.W.
52.00	" " W. Oak 18 in. diam. in the line
60.00	" the same run. Course N.E.

T. N. 3. N. R. N. 5 W. 2<sup>nd</sup> Mer. Sur.

74.50 To a P. Oak. 16 in diam. in the line.  
 80.00 Set a post for the cor of sec. 3. 4. 9 & 10 from which a  
 Heik 8 in diam. trans. N 72 E. 10 links out; 1 a  
 Ho 18 " " " S 66 W. 10 " "  
 Sand hole; Timber 11 Oak, Heik 7 & 2.

West 15 Return Sec. 3 & 4. T. 3. N. R. 5 W.  
 30.50 To a Run. 8 links wide corner N. E.  
 40.00 Set a 7/8 post from which a  
 W Oak. 18 in diam. trans. N 83 E. 43 links out; 1 a  
 Ho. 30 " " " N 80 W. 32 " "  
 Sand broken; Timber 73 Oak, 11 Oak, Heik 7  
 Log, no. 10 & 5.  
 61.50 To a Run: - links wide, corner N.  
 78.00 " " " 8 " " " N.  
 80.00 Intersect the Meridian at N 51 W. 50 links S. of sec.  
 3. 4. 9 & 10 Monday March 18<sup>th</sup>.

North Return Sec. 3 & 4. T. 3. N. R. 5 W.  
 9.00 To a Run 15 links wide, corner E.  
 40.00 Set a 7/8 post from which a  
 W Oak 8 in diam. trans. S 11 E. 50 links out; 1 a  
 Ho. 20 " " " N 13 E. 31 " "  
 Sand hole; Timber Oak, Heik 7 & 2  
 72.00 To a Run 3 links wide, corner E.  
 80.00 Intersect the N. Boundary 136 links West of the  
 cor of sec. 33 & 34 T. 4. N. R. 5 W. from which a  
 Heik 12 in diam. trans. N 86 E. 145 links out; 1 a  
 W Oak. 18 " " " S 66 E. 119 " "  
 Sand hole; Timber Oak, Heik 7, & 5.  
 Saturday March 16<sup>th</sup>

North Return Sec. 32 & 33. T. 3. N. R. 5 W.



T. N. 3. N.R. N. 3 W. 2<sup>nd</sup> Mer. Sud.

- 40.00 Set a 7<sup>th</sup> sap post from which a  
 B. Oak 14 in. diam. trunk. S53 N. 27 trunk arch; 1<sup>st</sup>  
 B. Jack 15 " " " N66 E. 45 " "  
 Sand hnd; Tintu Oak, B. Jack &.
- 61.50 To a B. Oak. 24 in. diam. in the line.
- 80.00 Set a post for the cor. of sec. 28. 29 32 & 33 from which  
 B. Oak. 24 in. diam. trunk. S84 E. 34 trunk arch; 1<sup>st</sup>  
 Do. 30 " " " N74 N. 34 " "  
 Sand Oak land.

- East Return Sec. 28 & 33 T. 3. N.R. 5 W.
- 40.00 Set a 7<sup>th</sup> sap post from which a  
 B. Oak. 48 in. diam. trunk. N72 N. 27 trunk arch; 1<sup>st</sup>  
 Maple. 8 " " " S27 E. 14 " "  
 Sand hnd; Tintu Oak, Maple &.
- 80.00 Set a post for the N.E. line at the cor. of sec. 27. 28 33 & 34  
 Sand hnd and swamp; Tintu Maple, Oak &  
 Friday March, 22.

- North Return Sec. 28 & 29 T. 3. N.R. 5 W.
- 40.00 Set a 7<sup>th</sup> sap post from which a  
 B. Oak 11 in. diam. trunk. S15 E. 46 the arch a  
 Do. 11 " " " N52 N. 29 " "  
 Sand hnd & wet, Tintu B. Jack &.
- 61.00 To a W. Oak. 15 in. diam. in the line.
- 80.00 Set a post for the cor. of sec. 20. 21. 28 & 29 from which a  
 Hickory 12 in. diam. trunk. N73 E. 9 the arch; 1<sup>st</sup>  
 W. Oak. 15 " " " North 50 " "  
 Sand hnd; Tintu Oak.

- West Return Sec. 21 & 28 T. 3. N.R. 5 W.
- 40.00 Set a 7<sup>th</sup> sap post from which a  
 W. Oak 8 in. diam. trunk. S82 E. 28 the arch; 1<sup>st</sup>

T. N. 3. N.R. N. 5 W. 2nd Mer. Sur.

W. Oak. 10 in. diam. trees. N 54 W. 48 miles dist;  
 Sand herb; Tamar Oak, Hickory &c. grassy  
 80.00 Set out the N & S line at the foot of sec. 20. 21.  
 28 & 29 Sand herb; Tamar Oak, Hickory &c.

North Return Sur. 20 & 21 T. 3. N.R. 5 W.  
 29.50 To a W. Oak 15 in. diam. in the line.  
 40.00 Set a 74 sec. post from which a  
 W. Oak 10 in. diam. trees. N 75 E 11 miles dist; to  
 Oak. 18 " " " S 10 E 46 " "  
 This post in a Run 10 miles wide, Course N.W.  
 80.00 Set a post for the cor of sec. 16. 17. 20 & 21 from which a  
 W. Oak 15 in. diam. trees. N 25 E. 150 miles dist; to  
 Co. 24 " " " S 11 W 60 " "  
 Sand herb; Tamar Oak & Hickory &c.

East Return Sur. 16 & 21. T. 3. N.R. 5 W.  
 40.00 Set a 74 sec. post from which a  
 Hickory 10 in. diam. trees. N 53 W. 29 miles dist; to  
 Co. 11 " " " East. 12 " "  
 Sand herb; Tamar Oak, Hickory &c.  
 59.50 To a Run. 4 miles wide, Course S.E.  
 80.00 Set out the N & S line at the cor of sec. 15. 16. 21 & 22  
 Sand herb; Tamar Oak, Hickory &c.  
 Saturday March. 23.

North Return Sur. 16 & 17 T. 3. N.R. 5 W.  
 40.00 Set a 74 sec. post from which a  
 Swamp Oak 14 in. diam. trees. N 72 W. 41 miles dist  
 to Co. 8 " " " N 81 E. 28 " "  
 Sand herb; Tamar Oak.  
 59.50 To a B. Oak. 15 in. diam. in the line.  
 80.00 Set a post for the cor of sec. 8. 9. 16 & 17 from which a

T. No. 3. N.R. No. 577. 2<sup>nd</sup> Mer. Ind.

B. Oak 24 in. dia. beam. S28E. 100 links dist; 1/2  
 Sand bar; Tintw Oak.

West Return Lat. 9+16 T. 3. N.R. 577.

40.00 Set a 74 ft. post from which a

B. Oak. 15 in. dia. beam. S52E. 42 links dist; 1/2

No. 6 " " " N68W. 51 " "

80.00 Intersect the N15 line at the cor of Lat. 8. 9. 16. + 17  
 Sand bar; Tintw Oak; Prairie

North Return Lat. 8+9 T. 3. N.R. 577.

40.00 Set a 74 ft. post from which a

B. Oak. 18 in. dia. beam. S48E. 20 links dist; 1/2

Heik 12 " " " N77W. 41 " "

This half mile a prairie

80.00 Set a post for the cor of Lat. 4. 5, 8+9 from which a

B. Oak. 24 in. dia. beam. S34E. 50 links dist; 1/2

No. 30 " " " S60W. 90 " "

Sand bar; Tintw Oak, Heik 1/2

East Return Lat. 4+9 T. 3. N.R. 577.

34.50 Iron Run. 6 links side, Corner N.E.

40.00 Set a 74 ft. post from which a

N. Oak. 24 in. dia. beam. N69W. 46 links dist; 1/2

Heik 12 " " " S15W. 13 " "

80.00 Intersect the N15 line at the cor of Lat. 3. 4, 9+10  
 Wednesday March. 20.

North Return Lat. 4+5 T. 3. N.R. 577.

40.00 Set a 74 ft. post from which a

N. Oak. 18 in. dia. beam. S5E. 4. 10 links dist; 1/2

B. Oak 11 " " " S37W. 383 " "

Sand broken; Tintw Oak, Heik 1/2

## T. N. 3. N.R. N. 5 W. 2nd Mer. Ind.

77.50	Intersect the N. Boundary 250 links West of the post cor of Cal. 33 & 32. T. 4. N.R. 5 W. from which W. Oak. 24 in. dia. trans. N 74 E. 249 links dist; 1/2 Heik 12 " " " S 81 E. 280 " "
North	Return Sec. 31 & 32 T. 3. N.R. 5 W.
40.00	Set a 7th post from which W. Oak. 30 in. dia. trans. S 26 W. 24 links dist; 1/2 Lo. 24 " " " North 21 " "
49.50	To a Run. 3 links and, Corner W.
56.30	" " W. Oak. 15 in. dia. in the line.
80.00	Set a post for the cor of Cal. 29. 30 31 & 32 from which W. Oak. 15 in. dia. trans. S 80 W 46 links dist; 1/2 Lo. 15 " " " North 14 " " Lund horn; Timber Oak, Heik etc.
East	Between Cal. 29 & 32 T. 3. N.R. 5 W.
44.00	Set a 7th post from which Heik 12 in. dia. trans. N 67 W. 59 links dist; 1/2 Lo. 10 " " " S 67 W. 14 " "
80.00	Intersected the Meridian or N & S line at the cor. of Cal. 28, 29, 32 & 33 Oak 1/2.
North	Return Cal. 29 & 30. T. 3. N.R. 5 W.
16.20	To a Heik 14 in. dia. in the line.
40.00	Set a 7th post from which W. Oak. 9 in. dia. trans. S 2 E. 32 links dist; 1/2 Lo. 30 " " " N 44 E. 33 " "
	Lund broken; Timber Oak, Heik etc. 1/2.
56.12	To a W. Oak 18 in. dia. in the line.
80.00	Set a post for the cor of Cal. 19. 20. 29 & 30 from which W. Oak. 18 in. dia. trans. S 69 E. 50 links dist; 1/2 W. Oak. 18 " " " N 56 W. 28 " "



T. N. 3. N.R. N. 57. 2nd Mer. Ind.

Sand herb; Tintu Oak, Heikj  $\frac{1}{2}$ .

West Return Sep. 20 & 29 T. 3. N.R. 57.

40.00 Set a 7<sup>th</sup> Rev. post from which

W. Oak. 12 in. diam. beam. North 14 miles west;  $\frac{1}{2}$

Co. 18 " " " S 44 E. 43 " "

Tintu Oak, Heikj  $\frac{1}{2}$ .

80.00 Set out the N. 5 line at the post cor. of Sep. 19, 20,  
29 & 30 Sand herb; Tintu Oak, Heikj.  $\frac{1}{2}$ .

North Return Sep. 19 & 20 T. 3. N.R. 57.

40.00 Set a 7<sup>th</sup> Rev. post from which

W. Oak. 36 in. diam. beam. S 61 E. 30 miles west;  $\frac{1}{2}$

W. Oak. 18 " " " N 81 W. 49 " "

Sand herb; Tintu Oak, Heikj  $\frac{1}{2}$ .

59.50 To a Rev. 10. miles west, Course W.

80.00 Set a post for the cor. of Sep. 17, 18, 19, & 20 from which

Heikj 18 in. diam. beam. N 16 E. 10 miles west;  $\frac{1}{2}$

Gum. 12 " " " S 88 W. 53 " "

Sand broken; Tintu Oak, Heikj & Gum.  $\frac{1}{2}$ .

East Return Sep. 17 & 20 T. 3. N.R. 57.

40.00 Set a 7<sup>th</sup> Rev. post from which

W. Oak. 18 in. diam. beam. N 34 W. 6 miles west;  $\frac{1}{2}$

Gum. 10 " " " S 85 W. 38 " "

Sand broken; Tintu Oak, Heikj  $\frac{1}{2}$ .

80.00 Set out the N. 5 line at the post cor. of Sep. 16, 17,

20 & 21 Sand broken; Tintu Heikj, Oak  $\frac{1}{2}$ .

North Return Sep. 17 & 18 T. 3. N.R. 57.

40.00 Set a 7<sup>th</sup> Rev. post from which

W. Oak 30 in. diam. beam. S 29 E. 31 miles west;  $\frac{1}{2}$

W. Oak 12 " " " N 13 W. 56 " "

80.00 Sand herb; Timber Oak, Height  $7\frac{1}{2}$ .  
 Set a post for the cor. of sec. 7, 8, 17 & 18 from which  
 W. Oak. 20 in. diam. base. S 76 N. 5 links north; & a  
 Ho. 24 " " " N 21 E. 34 " "  
 Sand herb; Timber Oak Height  $7\frac{1}{2}$ .

West Return Sec. 8 & 17 T. 3 N.R. N. 5 W.  
 40.00 Set a 74<sup>th</sup> post from which  
 W. Oak. 8 in. diam. base. N 85 E. 36 links north; & a  
 Gum. 6 " " " S 26 N. 21 " "  
 75.00 To a Run. 5 links wide, corner N.W.  
 80.00 Enter out the N & S line at the post cor. of sec. 7, 8, 17  
 & 18. Sand herb; Timber Oak, Height  $7\frac{1}{2}$ .

~~North Return Sec. 7 & 8 T. 3 N.R. 5 W.  
 40.00 Set a 74<sup>th</sup> post from which  
 W. Oak. 30 in. diam. base. S 29 E. 31 links north; & a  
 W. Oak. 12 " " " N 13 N. 56 " "  
 Sand herb; Timber Oak, Height  $7\frac{1}{2}$ .  
 80.00 Set a post for the cor. of sec.~~

North Return Sec. 7 & 8 T. 3 N.R. 5 W.  
 31.50 To a B. Oak. 24 in. diam. in the line.  
 40.00 Set a 74<sup>th</sup> post from which  
 W. Oak. 24 in. diam. base. West 34 links north; & a  
 Elm. 12 " " " S 77 E. 56 " "  
 Sand herb; Timber Oak, Height  $7\frac{1}{2}$ .  
 42.50 To a Run 6 links wide, corner N.  
 53.00 " " " 3 " " " "  
 53.50 To a Cottonwood 24 in. diam. in the line.  
 80.00 Set a post for the cor. of sec. 5, 6, 7 & 8 from which  
 W. Oak. 48 in. diam. base. N 47 N. 56 links north; & a  
 Ho. 48 " " " N 39 E. 26 " "

D. No. 3 N.R. No. 6 W. 2<sup>nd</sup> Mer. Ind.

Sand herb; Tintu Oak, Hickory.

East Return Sat. 588 T. 3. N.R. 5 W.  
 40.00 Set a 74 to post from which  
 B. Oak 24 in. diam. trees. N42 W. 82 1/2 miles west; 1/2  
 W. Oak 18 " " " 88 E. 125 " "  
 Sand herb; Tintu Oak, Hickory  
 80.00 Intersect the N.W. line at the corner of Sec. 4, 5, 8 & 9  
 Thursday March 21<sup>st</sup>

North Return Sat. 586. T. 3. N.R. 5 W.  
 20.22 To B. Oak. 24 in. diam. stands in the line.  
 40.00 Set a 74 to post from which  
 B. Oak. 24 in. diam. trees. N83 E. 67 1/2 miles west; 1/2  
 W. Oak. 20 " " " N35 W. 39 " "  
 77.00 Intersect the N.W. boundary. 180 lbs. west of the cor.  
 of Sec. 31 & 32 T. 4. N.R. 5 W. from which  
 Hickory 12 in. diam. trees. S88 E. 178 1/2 miles west; 1/2  
 No. 18 " " " N82 E. 193 " "  
 77.50 To a Run. 2 miles wide, running 3 ch. on the line.  
 Sand herb Tintu Oak, Hickory.

West Return Sat. 30 & 31 T. 3. N.R. 5 W.  
 40.00 Set a 74 to post from which  
 Elm. 6 in. diam. trees. N54 W. 21 miles west; 1/2  
 W. Oak. 10 " " " S64 E. 53 " "  
 45.00 To a Run. 10 miles wide, Corner N.  
 84.00 Intersect the West Boundary 175 miles North of the  
 first cor. of Sec. 25 & 36. T. 3. N.R. 6 W.

West Return Sat. 19 & 30 T. 3. N.R. 5 W.  
 40.00 Set a 74 to post from which  
 W. Oak. 12 in. diam. trees. S21 W. 13 miles west; 1/2

## T. N. 3. N.R. N. 5 W. 2nd Mer. Ind.

98 Oak. 7 in. diam. trees. N 57 N. 53 links dist;  
 Land broken; Timber Oak, Hickory &  
 82.29 Intersect the N 53 line or West Boundary 350 links  
 North of the Post cor. of Sec. 24 & 25. T. 3. N.R. 6 W.  
 Land Broken; Timber Oak, Hickory &.

West Return Sec. 18 & 19 T. 3. N.R. 5 W.  
 25.00 To a Swamp 14 ch. across.  
 40.00 Set a post from which a  
 Oak. 5 in. diam. trees. N 85 N. 58 links dist; &  
 Willow 10 " " " S 63 N. 48 " "  
 82.65 Intersect the West Boundary 425 links North of the  
 Post cor. of Sec. 13 & 24. T. 3. N.R. 6 W.

West Return Sec. 7 & 18 T. 3. N.R. 5 W.  
 40.00 Set a post from which a  
 Oak. 18 in. diam. trees. N 73 E. 35 links dist; &  
 Do. 18 " " " S 31 N. 40 " "  
 83.00 Intersect the West Boundary 500 links North of the  
 cor. of Sec. 12 & 13. T. 3. N.R. 6 W.  
 This mile is level; Timber Oak, Hickory &.

West Return Sec. 6 & 17 T. 3. N.R. 5 W.  
 40.00 Set a post from which a  
 Hickory 20 in. diam. trees. N 59 N. 18 links dist; &  
 Do. 20 " " " S 22 E. 29 " "  
 Land level; Timber Oak, Hickory &  
 84.30 Intersect the West Boundary 667 links North of  
 the Post cor. of Sec. 18 & 12 T. 3. N.R. 6 W.  
 Land level; Timber Oak, Hickory &.

Surveyed by  
 David Simpson L.S.



T. N. 3. N. R. N. 5 W. 2<sup>nd</sup> d. (Mer. Ind. 2<sup>nd</sup>)

I certify that the foregoing transcripts of the  
field notes of Township N. 3 North of Range  
N. 5 West of the 2<sup>nd</sup> Principal Meridian in  
Indiana has been compared with the Original  
notes in this Office & found to be correct

Surveyor General's Office  
Cincinnati, April 26. 1841

E. S. Haines

Sur. Genl.